

Supplementary Material

Article Title: Bilateral Repetitive Transcranial Magnetic Stimulation Decreases Suicidal Ideation in

Depression

Author(s): Cory R. Weissman, MD; Daniel M. Blumberger, MD, MSc; Patrick E. Brown, PhD; Moshe

Isserles, MD; Tarek K. Rajji, MD; Jonathan Downar, MD, PhD; Benoit H. Mulsant, MD, MSc;

Paul B. Fitzgerald, MD, PhD; and Zafiris J. Daskalakis, MD, PhD, FRCP(C)

DOI Number: 10.4088/JCP.17m11692

List of Supplementary Material for the article

1. <u>eTable 1</u> Odds Ratio Testing for Active Treatment Versus Sham, With a Model Taking Into Account the Interaction of Individual Study Results on the Combined Results

Disclaimer

This Supplementary Material has been provided by the author(s) as an enhancement to the published article. It has been approved by peer review; however, it has undergone neither editing nor formatting by in-house editorial staff. The material is presented in the manner supplied by the author.

Supplementary material

eTable 1. Odds ratio testing for active treatment versus sham, with a model taking into account the interaction of individual study results on the combined results.

	OR	lower	upper	
	0.44	0.03	7.02	0.55
Unilateral	0.14	0.00	6.46	0.31
Bilateral	9.81	0.30	320.75	0.19
Study factor	0.69	0.14	3.39	0.64
Unilateral: Study factor	4.11	0.48	35.14	0.19
Bilateral: Study factor	0.49	0.06	3.63	0.47